

# Diocese of Salina

## FertilityCare™ Services

### Acknowledgment of Privacy Practices

Your identifying health information will be kept private. This includes but is not limited to your name, contact information, and all medical information shared with your FertilityCare Practitioner. This information will not be shared with a third party for any reason. The fact that you are a client of the Creighton Model FertilityCare System will also be kept confidential, as will all information discussed during follow-up sessions.

Your health information may be discussed with other FertilityCare Practitioners with your permission, but your identifying information will be protected at all times. If you are referred to another health care professional, such as a NaProTechnology physician, your information will be released only with your consent. If we are using Zoom or FaceTime for follow-up sessions, you are responsible for ensuring privacy where you access the meeting, such as using a private area, a white noise machine, and/or using headphones. By signing the form (if you are completing this in person) or by checking the box below (if you are completing this electronically), you authorize communication via e-mail, text message, Zoom (or similar video meeting technology), and/or phone.

### Consent to Instruction in Natural Birth Regulation

You are a participant in this program completely voluntarily. Natural birth regulation, in particular the Creighton Model FertilityCare System, will be taught in this program to the exclusion of all other family planning methods.

You acknowledge that no guarantee or assurance has been made regarding the effectiveness of the method to achieve or avoid a pregnancy. You may contact your FertilityCare Practitioner or the Family Life Office of the Diocese of Salina regarding any questions concerning your use of this method. You may withdraw from this program at any time you choose to do so.

### Commitment/Quality Control

The only way to maintain the quality control of this system is to provide follow-up sessions to every client so that this system is the most effective it can be. Follow-up sessions are necessary to adequately learn the system. The effectiveness of the system depends on accurate observations and good charting. If you choose to discontinue the follow-up sessions, you may not have learned the complete Creighton Model FertilityCare System, its application may not be as effective, and you may be asked to return materials to the FertilityCare Practitioner.

---

Client

---

Date

---

FertilityCare Practitioner

---

Date